

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S52 | 25 | (US-20020188656-\$).did. or (US-6493804-\$ or US-5734645-\$ or US-6393380-\$ or US-6035333-\$ or US-6701344-\$ or US-6697855-\$ or US-6917985-\$ or US-5819036-\$ or US-6665536-\$ or US-6005530-\$ or US-5345244-\$ or US-5655219-\$ or US-5551060-\$ or US-5513184-\$ or US-5046130-\$ or US-6011487-\$ or US-5475835-\$ or US-5768267-\$ or US-5978214-\$ or US-6600726-\$ or US-5960344-\$ or US-5930728-\$).did. or (WO-9941649-\$ or WO-9809450-\$).did. | US-PGPUB; USPAT; EPO | OR | ON | 2006/02/16 17:48 |
| S53 | 15 | S52 and (share shared sharing) | US-PGPUB; USPAT; EPO | OR | ON | 2006/02/16 17:50 |
| S54 | 10 | S52 and (share shared sharing) with (path medium) | US-PGPUB; USPAT; EPO | OR | ON | 2006/02/16 18:09 |
| S55 | 4 | S52 and (share shared sharing) with (path medium) same (config\$8) | US-PGPUB; USPAT; EPO | OR | ON | 2006/02/16 18:09 |
| S56 | 113 | (share shared sharing) with (path medium) same (config\$8) same wireless | US-PGPUB; USPAT; EPO | OR | ON | 2006/02/16 17:56 |
| S57 | 40 | (share shared sharing) with (path medium) same (config\$8) same wireless and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO | OR | ON | 2006/02/16 17:56 |
| S58 | 9 | (share shared sharing) with (path medium) same (config\$8) same wireless and (point-to-point (point near3 point)) and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO | OR | ON | 2006/02/16 17:57 |
| S59 | 19 | ((point-to-point) (point adj to adj point)) same shared with (medium path channel) same config\$ same network same device | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 18:08 |
| S60 | 9 | 709/201.ccls. and @ad<"20010515" and distributed same shared with (medium path channel) | US-PGPUB; USPAT; EPO | OR | OFF | 2006/02/16 18:08 |

EAST Search History

| | | | | | | |
|-----|-----|--|------------------------------------|----|----|------------------|
| S61 | 4 | S52 and (share shared sharing) with (path medium channel) same (config\$8) | US-PGPUB; USPAT; EPO | OR | ON | 2006/02/16 18:09 |
| S62 | 13 | S52 and (share shared sharing) with (path medium channel) | US-PGPUB; USPAT; EPO | OR | ON | 2006/02/16 18:09 |
| S63 | 3 | S62 not S54 | US-PGPUB; USPAT; EPO | OR | ON | 2006/02/16 18:09 |
| S64 | 0 | ((point adj to adj point)) same shared with (medium path channel) same config\$ same network same device | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 18:10 |
| S65 | 49 | ((point-to-point) (point near3 point)) same shared with (medium path channel) same config\$ same network same (device computer terminal receiver transceiver) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 18:10 |
| S66 | 17 | ((point-to-point) (point near3 point)) same shared with (medium path channel) same config\$ same network same (device computer terminal receiver transceiver) and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 19:55 |
| S67 | 1 | "5960344".pn. and config\$8 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 19:57 |
| S68 | 271 | wireless same config\$8 with (medium path channel) with different | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 19:58 |
| S69 | 108 | wireless same config\$8 with (medium path channel) with different and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 19:59 |
| S70 | 14 | wireless same config\$8 with device with (medium path channel) with different and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:02 |
| S71 | 3 | wireless same config\$8 with device with different near3 (medium path channel) and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:00 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S72 | 3 | wireless same config\$8 with (device peripheral printer) with different near3 (medium path channel) and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:02 |
| S73 | 921 | config\$8 with device with (medium path channel) with different and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:02 |
| S74 | 413 | config\$8 with (device peripheral printer) with different near3 (medium path channel) and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:03 |
| S75 | 244 | config\$8 near5 (device peripheral printer) with different near3 (medium path channel) and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:03 |
| S76 | 40 | config\$8 near5 (device peripheral printer) with different adj (medium path channel) and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:03 |
| S77 | 25 | config\$8 near3 (device peripheral printer) with different adj (medium path channel) and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:04 |
| S78 | 4 | config\$8 adj (device peripheral printer) with different adj (medium path channel) and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:03 |
| S79 | 1 | config\$8 near3 (device peripheral printer) with different near5 (medium path channel) near3 share\$2 and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:05 |
| S80 | 32 | config\$8 near3 (device peripheral printer) with (share sharing shared) near3 (medium path channel) and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:05 |
| S81 | 18 | config\$8 near3 (device peripheral printer) with (share sharing shared) adj (medium path channel) and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:12 |

EAST Search History

| | | | | | | |
|-----|---|--|---|----|----|------------------|
| S82 | 3 | (remote remotely) with config\$8 near3 (device peripheral printer) with (share sharing shared) adj (medium path channel) and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:13 |
| S83 | 5 | (remote remotely) with config\$8 near3 (device peripheral printer) with (share sharing shared) with (medium path channel) and (@ad<"20010515" or @rlad<"20010515") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:13 |
| S84 | 2 | S83 not S82 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:17 |
| S85 | 1 | "6658010".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:20 |
| S86 | 1 | "6658010".pn. and remote with config\$8 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:49 |
| S87 | 1 | "6658010".pn. and remote with config\$8 same shared | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:23 |
| S88 | 1 | "6658010".pn. and remote with config\$8 and shared | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:24 |
| S89 | 1 | "6658010".pn. and remote with config\$8 and shared with medium | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:25 |
| S90 | 1 | "6658010".pn. and shared with medium | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:25 |
| S91 | 1 | "5960344".pn. and config\$8 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:55 |
| S92 | 3 | ("5726976" "6493804" "6560205").pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 20:55 |